

Fig No: FGB-1500

1/2"~ 2" DN15 ~ DN50

Features :


Forged steel globe valves are available in three bonnet designs. The first design is the Bolted Bonnet, With male-female joint, spiral wound gasket, made in F304L/graphite. Ring joint gasket are also available on request. The second design is the welded bonnet, with a threaded and seal welded joint, On request a full penetration strength welded joint is available. The third design is the pressure seal bonnet, with a threaded and pressure seal bonnet joint.

Globe valve Design Construction and Specification :

Globe valves conform to API602, BS5352, and ASME B16.34.
Each are tested according to API598
Marking is per MSS SP-25.

Construction is as follows :

- Full Port or Conventional Port
- Outside Screw and Yoke
- Two piece self aligning packing gland
- Bolted bonnet with spiral-wound gasket,
- Threaded and seal welded bonnet or threaded and pressure and bonnet,
- Integral backseat
- Socket weld Ends to ASME B16.11
- Screwed Ends (NPT) to ANSI/ASME B1.20.1



DIMENSIONS

unit:mm

NPS	d	L2	NPT	L1	L	W	H
1/2	21.8	10	1/2	15	111	125	195
3/4	27	13	3/4	18	111	125	195
1	34	13	1	18	120	160	218
1-1/4	42.5	13	1-1/4	19	152	160	240
1-1/2	48.5	13	1-1/2	19	172	180	275
2	61	16	2	25	220	200	325

MATERIALS LIST

NO	Name	MATERIAL		
1	BODY	A105	A304(L)	F316(L)
2	DSIC	A182 F6	A304(L)	F316(L)
3	GASKET	F304+GRAPHITE		F316+GRAPHITE
4	BONNET	A105	A304(L)	F316(L)
5	STEM	A182 F6	A304(L)	F316(L)
6	GLAND EYE BOLT	A193 B7	A193 B8	
7	GLAND NUT	A194 2H	A194 8	
8	YOKE NUT	A276 410		
9	HAND WHEEL	60-40-18		
10	H.W.NUT	A194 2H	A194 8	
11	GLAND	A276 410	A304(L)	F316(L)
12	GLAND FLANGE	A105	A304	
13	STEM PACKING	FLEXIBLE GRAPHITE		
14	PIN	F304		

Other Materials Also Available On Requested